Login Username	NHPUC 21JUL'16AM11:5:
Login Email	
NH Public Utilities Commission	
REC Aggregator Portal	
Basic Information	
New Users CLICK HERE to setup your account for this form. Creating you to partially complete the form and return later to finish it or to make is submitted. Be sure to create your account BEFORE entering information will be lost.	ke changes after the form
Existing Users CLICK HERE	
Aggregator Batch Number KE071816	
Aggregator name	
Knollwood Energy	
Facility Owner Name	
Rebecca Bennett Hedlund	
Facility Address	
325 Miller Ave.	
Facility Town/City	
Portsmouth	
Facility State	
NH	
Facility Zip	
03801	
Mailing Zip	

Primary Contact
Karen Tenneson
Facility Information
Class
II
Utility
PSNH
Other Utility Name
To obtain a GIS ID contact:
James Webb
408 517 2174
jwebb@apx.com
GIS ID (include "NON")
NON87878
Date of Initial Operation
01/26/2015
Facility Operator Name, if applicable
Panel Make #1
LG
Panel Model
Other
Panel Quantity
20
Panel Rated Output
270
Other panel make

Other panel model
More Panel types?
● No
O Yes
Panel Make #2
Panel Model
Panel Quantity
Panel Rated Output
More Panel types?
No
O Yes
Panel Make #3
Panel Model
Panel Quantity
Panel Rated Output
System capacity based on panels
5400
Inverter Make
SMA
Other inverter make

Inverter Quantity
1
Additional Inverter Make
None
Add'l Inverter Quantity
Rated Output - Primary Inverter
5000
Rated Output - Additional Inverter
System capacity based on single inverter make
5000
System capacity based on two inverter types
System capacity in kW as stated on the interconnection agreement
5.0
Revenue Grade Meter Make
Trevenue Grade Meter Make
Revenue Grade GIS Approved Meter
FOCUS
Other revenue-grade GIS-approved meter
Was this facility installed directly by the customer (no electrician involved)?
O Yes No
Electrician Name & Number
Megin Ulin 13139M
Other Electrician Name & Number

Installation Company
ReVision Energy
Other Installation Company Name
Other Inst. Company Address
Other Inst. Company City
Other Inst. Company State
Other Inst. Company Zip
Equipment Vendor Company Name
Independent Monitor Name & Company
Paul Button - Energy Audits Unlimited
Other Maritan Name and Organia
Other Monitor Name and Company
Is the installer also the equipment supplier?
Yes
O No
Equipment Vendor
Please attach your completed interconnection agreement including Exhibit B.
https://fs30.formsite.com/jan1947/files/f-5-99-7242907_0YxcMOTF_Hedlund_Executed_Exhibit_B.pdf

The project described in this application will meet the metering requirements of PUC 2506 including:

Electricity generation in megawatt hours shall be reported to the GIS quarterly with a statement that the submission is accurate by the owner of the source, the independent monitor or a designated representative.

A revenue quality meter (meeting ANSI C-12.1-2008 for installations up to and including 10 kW, or ANSI C12.16 or better for installations greater than 10kW up to 1 mW) is used to measure the electricity generated.

The facility owner has certified to the independent monitor that the meter operates according to manufacturing standards.

The meter shall be maintained according to the manufacturer's recommendations.

The project is installed and operating in conformance with applicable building codes.

A copy of the facility's interconnection agreement is attached.

Please attach additional document here

https://fs30.formsite.com/jan1947/files/f-5-168-7242907_m3IZIUIT_Hedlund_Knollwood_contract_part_3_

Please attach additional document here

Ka Jour

https://fs30.formsite.com/jan1947/files/f-5-173-7242907_2yLGQR0a_Hedlund_PV_-_Processed_Application_

Aggregator statement of accuracy

Sign your name using a mouse or, if you are using a touch-screen device, a stylus or other pointer.

Print Name

Karen Tonnesen

Date Signed

07/18/2016

PUBLIC SERVICE COMPANY OF NEW HAMPSHIRE INTERCONNECTION STANDARDS FOR INVERTERS 'SIZED UP TO 100 KVA (Continued)

Exhibit B - Certificate of Completion for Simplified Process Interconnections

Installation Information:	□ Che	eck if owner-instal	lled	
Customer or Company Name (print): Rebecca &	Tim He	dlund		
Contact Person, if Company:				
Mailing Address: 325 Miller Avenue				
City: Portsmouth	State:	NH	Zip Code:	03801
Telephone (Daytime): 206-331-7232	(Evenin	ig):		
Facsimile Number:	E-Mail	Address: becc	ahedlund@outlook.co	m
Address of Facility (if different from above):				
City:	State: _		Zip Code:	
Generation Vendor: ReVision Energy, LLC		Contact Person:	Sara Bogue	
I herby certify that the system hardware is in complian	nce with	Puc 900.		
Vendor Signature: Sara Bogue			Date: 9/2/1	4
Electrical Contractor's Name (if appropriate):	eVision	Energy		
Mailing Address: 7 Commercial Drive				
City: Exeter	State: _	NH	Zip Code:	03833
Telephone (Daytime):603-679-1777	(Evenin	g):		
Facsimile Number:	E-Mail	Address:	sbogue@revisionener	gy.com
License number: 13139M				
Date of approval to install Facility granted by the Con	many:	9/2/14	Installation Data	
	iipairy		IIIStallation Date:	
Application ID number: N3123				
Inspection:				
The system has been installed and inspected in compli	iance with	n the local Buildin	g/Electrical Code of	
(City/County)			0.0	\bigcap 1
Signed (Local Electrical Wiring Inspector, or attach si	inned elec	etrical inenaction):	af PH	Charle
			- your	
Name (printed): John Plouse	oe_			
Date: 1-26-15				
Customer Certification:	1	1		
I hereby certify that, to the pest of my knowledge, all p	he inform	nation contained i	n this Interconnection N	otice is true and
correct. This system has been installed and shall be on	perated in	compliance with	applicable electrical star	ndards. Also, the
initial start up test required by Puc 905.04 has been su	recessfully	completed.		
Customer Signature: WWW WW	WI	7	Date: 1/26/7	hois
	4			

New Hampshire PUC REC Certification Application Owner Statements

The information provided on this application for New Hampshire Renewable Energy Certificate eligibility is accurate to the best of my knowledge and I authorize Knollwood Energy to act on my behalf in filing said application.

The project described in this application will meet the metering requirements of PUC 2506 including:

Electricity generation in megawatt hours shall be reported to the GIS quarterly with a statement that the submission is accurate by the owner of the source, the independent monitor, or a designated representative.

A revenue quality meter is used to measure the electricity generated.

The facility owner has certified to the independent monitor that the meter operates according to manufacturing standards.

The meter shall be maintained according to the manufacturer's recommendations.

The project is installed and operating in conformance with applicable building codes.

Rebecca Bennett Hedlund

Printed Name of signature owner

Rebecca Bennert Hedlund

Rebecca Bennert Hedlund

Signature of system owner

PUBLIC SERVICE COMPANY OF NEW HAMPSHIRE INTERCONNECTION STANDARDS FOR INVERTERS SIZED UP TO 100 KVA

RECEIVED AUG 2 7 2014

Simplified Process Interconnection Application and Service Agreement

SESD

PSNH Application Project ID#: N3123

Contact Information:					
Legal Name and Address of Interconnecting			pany name, if ap	ppropriate)	
Customer or Company Name (print): Rebe	cca & Ti	n Hedlund			
Contact Person, if Company:					
Mailing Address: 325 Miller Avenue					
City: Portsmouth	_State:	NH		Zip Code:	03801
Telephone (Daytime): 206-331-7232					
Facsimile Number:					
Alternative Contact Information (e.g., Sys	stem inst	allation cor	tractor or coordi	nating company, if an	propriate):
Name: ReVision Energy, LLC contact Sara	Bogue			3	F
Mailing Address: 7 Commercial Drive					
City: Exeter	State:	NH		Zip Code:	03833
000 070 4777					
Facsimile Number:					
Electrical Contractor Contact Informatio	n (if app	opriate).			
Name: Same as Alternative Contract	(P.F.	ориносу.			
Mailing Address:					
City:					
Telephone (Daytime):					
Facsimile Number:					
			Tradit of the state of the stat		
Facility Site Information:					
Facility (Site) Address: 325 Miller Avenue					
City: Portsmouth			ПН	7in Code:	03801
Electric				Zip Code.	
	Accoun	t Number	56191046036	V Motor Num	ber: W56563920 🗸
Account and Meter Number: Please consult					
on this application. If the facility is to be inst	talled in	new locat	ion, please provi	de the PSNH Work R	equest number
			,,,		
PSNH Work Request #					
Non-Default' Service Customers Only:					
Competitive Electric					
Energy Supply Company:				Account Number:	
(Customer's with a Competitive Energy Supp				404	in acuturat with the E
Supply Company.)	ory Comp	uny snout	verijy ine Terms	s & Conumions of the	r contract with their Energy
II / "F J ./					

PUBLIC SERVICE COMPANY OF NEW HAMPSHIRE INTERCONNECTION STANDARDS FOR INVERTERS SIZED UP TO 100 KVA

Simplified Process Interconnection Application and Service Agreement

Facility Machine Information:
Generator/ Model Name &
Generator/ Inverter Manufacturer: SMA Model Name & Number: Sunny Boy 5000TL-US Quantity: 1
VNameplate Rating: 5 (kW) (kVA)240 (AC Volts) Phase: Single 7 Three
Nameplate Rating: The AC Nameplate rating of the individual inverter.
Nameplate Rating: The AC Nameplate rating of the individual inverter. System Design Capacity: 5 (kW) (kVA) Battery Backup: Yes No
System Design Capacity: The system total of the inverter AC ratings. If there are multiple inverters installed in the system, this is the sum of the AC nameplate ratings of all inverters.
Met Metering: If Renewably Fueled, will the account be Net Metered? Yes No No
Prime Mover: Photovoltaic Reciprocating Engine Fuel Cell Turbine Other
Energy Source: Solar Wind Hydro Diesel Natural Gas Fuel Oil Other
Inverter-based Generating Facilities:
UL 1741 / IEEE 1547.1 Compliant (Refer To Part Puc 906 Compliance Path For Inverter Units, Part Puc 906.01 Inverter Requirements) **Yes ** No ** No ** **No ** **The image is a second of the image is a second of the image is a second of the image. The image is a second of the image is a second of the image. The image is a second of the image is a second of the image. The image is a second of the image is a second of the image. The image is a second of the image is a second of the image. The image is a second of the image is a second of the image. The image is a second of the image is a second of the image. The image is a second of the image is a second of the image. The image is a second of the image is a second of the image. The image is a second of the image is a second of the image. The image is a second of the image is a second of the image. The image is a second of the image is a second of the image. The image is a second of the image is a second of the image. The image is a second of the image is a second of the image is a second of the image. The image is a second of the image is a second of the image. The image is a second of the image is a second of the image is a second of the image. The image is a second of the im
The standard UL 1741.1 dated May, 2007 or later, "Inverters, Converters, and Controllers for Lise With Independent Power
Systems," addresses the electrical interconnection design of various forms of generating equipment. Many manufacturers choose to
submit their equipment to a Nationally Recognized Testing Laboratory (NRTL) that verifies compliance with UL 1741.1. This term "Listed" is then marked on the equipment and supporting documentation. <i>Please include, any documentation</i>
provided by the inverter manufacturer describing the inverter's UL 1741/IEEE 1547.1 listing.
External Manual Disconnect Switch:
An External Manual Disconnect Switch shall be installed in accordance with 'Part Puc 905 Technical Requirements For
Interconnections For Facilities, Puc 905.01 Requirements For Disconnect Switches and 905.02 Disconnect Switch.' Yes No V
Location of External Manual Disconnect Switch:
Document of External Maintal Disconnect Switch:
Project Estimated Install Date: January 2015 Project Estimated In-Service Date: February 2015
Interconnecting Customer Signature:
I hereby certify that, to the best of my knowledge, all of the information provided in this application is true and I agree to the Terms
and Conditions for Simplified Process Interconnections attached hereto:
Rabacca Hall
Customer Signature: Abbecca 11 ediund Title: Homeowner Date: Aug 27, 2014
Please include a one-line and/or three-line diagram of proposed installation. Diagram must indicate the generator connection
point in relation to the customer service panel and the PSNH meter socket. Applications without such a diagram may be
returned.
For PSNH Use Only
Approval to Install Facility:
Installation of the Facility is approved contingent upon the Terms and Conditions For Simplified Process Interconnections of this
Agreement, and agreement to any system modifications, jf required.
Are system modifications required? Yes No To be Determined
Company Signature: Uluhaul Wotta Title: Dr. ENGINEER Date: 8-27-14
PSNH SPIA rev. 03/14 Page 2 of 3

PUBLIC SERVICE COMPANY OF NEW HAMPSHIRE INTERCONNECTION STANDARDS FOR INVERTERS SIZED UP TO 100 KVA

Terms and Conditions for Simplified Process Interconnections

Company waives inspection/Witness Test: Yes No Date of i	inspection/Witness Test:
--	--------------------------

- Construction of the Facility. The Interconnecting Customer may proceed to construct the Facility in compliance with the specifications of its
 Application once the Approval to Install the Facility has been signed by the Company. Such Approval relates only to the PSNH and Puc 900
 electrical interconnection requirements, and does not convey any permissions or rights associated with permits, code enforcement, easements,
 rights of way, set back, or other physical construction issues.
- 2. Interconnection and operation. The Interconnecting Customer may operate Facility and interconnect with the Company's system once the all of the following has occurred:
 - 2.1. Municipal Inspection. Upon completing construction, the Interconnecting Customer will cause the Facility to be inspected or otherwise certified by the local electrical wiring inspector with jurisdiction.
 - 2.2. Certificate of Completion. The Interconnecting Customer returns the Certificate of Completion to the Agreement to the Company at address noted.
 - 2.3. Company has completed or waived the right to inspection.
- 3. Company Right of Inspection. The Company will make every attempt within ten (10) business days after receipt of the Certificate of Completion, and upon reasonable notice and at a mutually convenient time, conduct an inspection of the Facility to ensure that all equipment has been appropriately installed and that all electrical connections have been made in accordance with the Interconnection Standard. The Company has the right to disconnect the Facility in the event of improper installation or failure to return Certificate of Completion. All projects larger than 10 kVA will be witness tested, unless waived by the Company.
- 4. Safe Operations and Maintenance. The Interconnecting Customer shall be fully responsible to operate, maintain, and repair the Facility.
- 5. Disconnection. The Company may temporarily disconnect the Facility to facilitate planned or emergency Company work.
- 6. Metering and Billing. All renewable Facilities approved under this Agreement that qualify for net metering, as approved by the Commission from time to time, and the following is necessary to implement the net metering provisions:
 - 6.1. Interconnecting Customer Provides: The Interconnecting Customer shall furnish and install, if not already in place, the necessary meter socket and wiring in accordance with accepted electrical standards. In some cases the Interconnecting Customer may be required to install a separate telephone line.
 - 6.2. Company Installs Meter. The Company will make every attempt to furnish and install a meter capable of net metering within ten (10) business days after receipt of the Certificate of Completion if inspection is waived, or within 10 business days after the inspection is completed, if such meter is not already in place.
- 7. Indemnification. Interconnecting Customer and Company shall each indemnify, defend and hold the other, its directors, officers, employees and agents (including, but not limited to, Affiliates and contractors and their employees), harmless from and against all liabilities, damages, losses, penalties, claims, demands, suits and proceedings of any nature whatsoever for personal injury (including death) or property damages to unaffiliated third parties that arise out of, or are in any manner connected with, the performance of this Agreement by that party, except to the extent that such injury or damages to unaffiliated third parties may be attributable to the negligence or willful misconduct of the party seeking indemnification.
- 8. Limitation of Liability. Each party's liability to the other party for any loss, cost, claim, injury, liability, or expense, including reasonable attorney's fees, relating to or arising from any act or omission in its performance of this Agreement, shall be limited to the amount of direct damage actually incurred. In no event shall either party be liable to the other party for any indirect, incidental, special, consequential, or punitive damages of any kind whatsoever.
- 9. Termination. This Agreement may be terminated under the following conditions:
 - 9.1. By Mutual Agreement. The Parties agree in writing to terminate the Agreement.
 - 9.2. By Interconnecting Customer. The Interconnecting Customer may terminate this Agreement by providing written notice to Company.
 - 9.3. By Company. The Company may terminate this Agreement (1) if the Facility fails to operate for any consecutive 12 month period, or (2) in the event that the Facility impairs or, in the good faith judgment of the Company, may imminently impair the operation of the electric distribution system or service to other customers or materially impairs the local circuit and the Interconnecting Customer does not cure the impairment.
- 10. Assignment/Transfer of Ownership of the Facility. This Agreement shall survive the transfer of ownership of the Facility to a new owner when the new owner agrees in writing to comply with the terms of this Agreement and so notifies the Company.
- 11. Interconnection Standard. These Terms and Conditions are pursuant to the Company's "Interconnection Standards for Inverters Sized Up to 100 kVA" for the Interconnection of Customer-Owned Generating Facilities, as approved by the Commission and as the same may be amended from time to time ("Interconnection Standard"). All defined terms set forth in these Terms and Conditions are as defined in the Interconnection Standard (see Company's website for the complete document).

PSNH SPIA rev. 03/14 Page 3 of 3